### For Research Use Only

# ATP6V0D1 Polyclonal antibody

Catalog Number: 18274-1-AP

Featured Product

18 Publications



### **Basic Information**

Catalog Number: GenBank Accession Number: 18274-1-AP BC008861

Size: GeneID (NCBI): 9114

Source: UNIPROT ID: Rabbit P61421

Isotype: Full Name:

IgG ATPase, H+ transporting, lysosomal Immunogen Catalog Number: 38kDa, VO subunit d1

AG13002 Calculated MW: 351 aa, 40 kDa

Observed MW: 37-41 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:2000-1:10000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF/ICC 1:50-1:500

# **Applications**

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications: WB, IHC, IF, IP Species Specificity: human, mouse, rat

Cited Species: human, mouse, rat Note-IHC: suggested antigen

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: HEK-293 cells, human placenta tissue, HeLa cells, mouse kidney tissue, mouse testis tissue

IP: mouse testis tissue,

IHC: mouse kidney tissue, human kidney tissue

IF/ICC: HeLa cells,

# **Background Information**

ATP6V0D1(V-type proton ATPase subunit d 1) is also named as ATP6D, VPATPD and belongs to the V-ATPase V0D/AC39 subunit family. It is responsible for acidifying a variety of intracellular compartments in eukaryotic cells, thus providing most of the energy required for transport processes in the vacuolar system.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Ki-Ryeong Kim	36246521	Front Cell Neurosci	WB
Vishwanatha K Rao	30317586	J Cell Physiol	WB
Otomo Takanobu T	21846724	J Biol Chem	WB,IF

### Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


### **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 18274-1-AP (ATP6V0D1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




IP result of anti-ATP6V0D1 (IP:18274-1-AP, 4ug; Detection:18274-1-AP 1:4000) with mouse testis tissue lysate 1120 ug.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 18274-1-AP (ATP6V0D1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 18274-1-AP (ATP6V0D1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using ATP6V0D1 antibody (18274-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L).