

## SRA1 Polyclonal antibody

Catalog Number: 18699-1-AP

2 Publications

## Basic Information

## Catalog Number:

18699-1-AP

## Size:

500 µg/ml

## Source:

Rabbit

## Isotype:

IgG

## GenBank Accession Number:

BC156760

## GeneID (NCBI):

10011

## UNIPROT ID:

Q9HD15

## Full Name:

steroid receptor RNA activator 1

## Calculated MW:

26 kDa

## Observed MW:

37 kDa

## Purification Method:

Antigen affinity purification

## Recommended Dilutions:

WB 1:500-1:1000

IF/ICC 1:50-1:500

## Applications

## Tested Applications:

IF/ICC, WB, ELISA

## Cited Applications:

WB, IHC

## Species Specificity:

human

## Cited Species:

mouse

## Positive Controls:

WB : A431 cells, MCF-7 cells

IF/ICC : A431 cells,

## Background Information

Steroid receptor RNA activator 1 (SRA1), also known as steroid receptor RNA activator protein (SRAP) or SRA, is involved in modulating the activity of multiple transcription factors including the estrogen receptor (ER) (PMID: 20398657). It may play a role in tumorigenesis (PMID: 16152589). The SRA1 gene encodes both SRA1 protein and a non-coding functional RNA that functions as part of a ribonucleoprotein complex activating steroid receptor induced transcription.

## Notable Publications

Author	Pubmed ID	Journal	Application
Hoda M Gebril	38173014	Transl Neurodegener	
Yuan Yuan Li	38278062	Atherosclerosis	WB, IHC

## Storage

## Storage:

Store at -20°C. Stable for one year after shipment.

## Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926


E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



A431 cells were subjected to SDS PAGE followed by western blot with 18699-1-AP (SRA1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (10% Formaldehyde) fixed A431 cells using 18699-1-AP (SRA1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).