For Research Use Only

MYO16 Polyclonal antibody

Catalog Number: 18828-1-AP





Basic Information	Catalog Number: 18828-1-AP	GenBank Accession Number: BC 146791	Purification Method: Antigen affinity purification	
	Size: 400 µg/ml Source: Rabbit	GeneID (NCBI): 23026 UNIPROT ID: Q9Y6X6	Recommended Dilutions: IHC 1:20-1:200 IF 1:50-1:500	
				Isotype: IgG
		Calculated MW: 1858 aa, 206 kDa		
		Observed MW: 123 kDa, 210 kDa, 106 kDa		
	Applications	Tested Applications: IF/ICC, IHC, ELISA		Positive Controls: IHC : human bladder tissue, human testis tissue IF : A431 cells,
Species Specificity: human, mouse				
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	MYO 16, also named as KIAA0865, MYO 16B, is actin-based motor molecules with ATPase activity. Unconventional myosins serve in intracellular movements. Their highly divergent tails are presumed to bind to membranous compartments, which would be moved relative to actin filaments. MYO 16 may be involved in targeting of the catalytic subunit of protein phosphatase 1 during brain development. The antibody can recognize isoform 1, isoform 2 and isoform 3 of MYO 16.			
Storage	Storage: Store at -20°C. Stable for one Storage Buffer: PBS with 0.02% sodium azic Aliquoting is unnecessary fo	de and 50% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded human bladder using 18828-1-AP (MYO 16 antibody) at dilution of 1:50 (under 10x lens). Immunofluorescent analysis of (-20 $^{\rm C}$ Ethanol) fixed A431 cells using 18828-1-AP (MYO 16 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).