For Research Use Only

IRF2BP2 Polyclonal antibody

Catalog Number: 18847-1-AP

Featured Product

13 Publications



Basic Information

Catalog Number: 18847-1-AP Size:

1000 ug/ml Source: Rabbit

Isotype: IgG GenBank Accession Number:

NM_182972 GeneID (NCBI): 359948 UNIPROT ID:

Q7Z5L9 Full Name:

interferon regulatory factor 2 binding protein 2

Calculated MW: 61 kDa Observed MW: 61 kDa Purification Method:

Antigen affinity purification
Recommended Dilutions:
WB 1:5000-1:50000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:500-1:2000 IF/ICC 1:500-1:2000

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, IP, CoIP, ChIP Species Specificity:

human
Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: A549 cells, HeLa cells, K-562 cells

IP: K-562 cells,

IHC: human lung squamous cell carcinoma tissue,

human liver cancer tissue IF/ICC : HepG2 cells,

Background Information

IRF2BP2 belongs to the IRF2BP family. IRF2BP2 acts as a transcriptional repressor and as a transcriptional corepressor in a IRF2-dependent manner. This repression is not mediated at least in part by histone deacetylase activities.

Notable Publications

Author	Pubmed ID	Journal	Application
Yangyang Yao	31559693	J Cell Mol Med	WB,CoIP
Xue Feng	31538665	Hepatology	
Orhi Barroso-Gomila	34795231	Nat Commun	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.coi

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



WB result of IRF2BP2 antibody (18847-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-IRF2BP2 transfected HeLa cells.




Various lysates were subjected to SDS PAGE followed by western blot with 18847-1-AP (IRF 2BP2 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.



IP result of anti-IRF2BP2 (IP:18847-1-AP, 4ug; Detection:18847-1-AP 1:6000) with K-562 cells lysate 1820 ug.



Immunohistochemical analysis of paraffinembedded human lung squamous cell carcinoma tissue slide using 18847-1-AP (IRF2BP2 antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using IRF2BP2 antibody (18847-1-AP) at dilution of 1:1000 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).