For Research Use Only

THUMPD3 Polyclonal antibody

Catalog Number: 19807-1-AP



Basic Information

Catalog Number: GenBank Accession Number: 19807-1-AP BC001622

Concentration: GeneID (NCBI): 25917

Source: UNIPROT ID: Rabbit Q9BV44

Isotype: Full Name:

IgG THUMP domain containing 3

Immunogen Catalog Number:Calculated MW:AG13833507 aa, 57 kDaObserved MW:

57 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HeLa cells, HepG2 cells, mouse kidney tissue, LO2

cells

IHC: human hepatocirrhosis tissue, human testis

Purification Method:

WB: 1:2000-1:12000 IHC: 1:20-1:200

IF/ICC: 1:10-1:100

Antigen affinity purification

Recommended Dilutions:

tissue

IF/ICC : Hela cells, HepG2 cells

Background Information

THUMPD3, or THUMP domain containing 3, is a protein-coding gene that plays a significant role in tRNA methylation, a post-transcriptional modification that affects tRNA biology and is closely associated with human diseases. THUMPD3 is responsible for catalyzing the formation of N2-methylguanosine (m2G) at position 6 in a broad range of tRNA substrates containing the characteristic 3'-CCA terminus of mature tRNAs.

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 19807-1-AP (THUMPD3 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human hepatocirrhosis using 19807-1-AP (THUMPD3 antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human hepatocirrhosis using 19807-1-AP (THUMPD3 antibody) at dilution of 1:100 (under 40x lens).



Immunofluorescent analysis of Hela cells, using THUMPD3 antibody 19807-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).