For Research Use Only

RTCB-Specific Polyclonal antibody

Catalog Number: 19809-1-AP

Featured Product

7 Publications



Basic Information

Catalog Number: GenBank Accession Number: 19809-1-AP BC000151 GeneID (NCBI): Concentration: 800 ug/ml 51493 **UNIPROT ID:** Source: Rabbit Q9Y3I0 Full Name: Isotype:

chromosome 22 open reading frame

Immunogen Catalog Number:

AG13836 Calculated MW:

55 kDa Observed MW: 55 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:** human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:6000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:1000-1:4000 IF/ICC 1:10-1:100

Positive Controls:

WB: HeLa cells, mouse brain tissue, Jurkat cells

IHC: human lung cancer tissue, human liver cancer

tissue, human stomach cancer tissue

IF/ICC: HeLa cells,

Background Information

RTCB (also known as HSPC117, C22orf28, FAAP and D10Wsu52e) is an essential subunit of a tRNA ligase complex that is involved in RNA repair and stress-induced splicing. As a multifunctional protein, RTCB is also a cell adhesion protein and is important in embryo and placenta development. Recently RTCB has been identified as UPR RNA ligase catalyzing unconventional XBP1 mRNA splicing. This antibody specifically recognizes endogenous RTCB protein. (25087875)

Notable Publications

Author	Pubmed ID	Journal	Application
Yichen Xu	34559986	Cell	WB
Irem Unlu	30355738	J Biol Chem	WB
Carmen Aguilar	34099666	Nat Commun	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 19809-1-AP (RtcB-Specific antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of HeLa cells using 19809-1-AP (RtcB-Specific antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 19809-1-AP (RtcB-Specific antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-RtcB-Specific (IP:19809-1-AP, 4ug; Detection:19809-1-AP 1:4000) with HeLa cells lysate 1800 ug.



1x10^6 HeLa cells were intracellularly stained with 0.25 ug RtcB-Specific Polyclonal antibody (19809-1-AP) and CoraLite® 488-Conjugated Goat Anti-Rabbit 1 gG(H+I) (SA0013-2)(red), or 0.25 ug Rabbit 1 gG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1x10^6 A431 cells were intracellularly stained with 0.25 ug RtcB-Specific Polyclonal antibody (19809-1-AP) and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).