For Research Use Only

GPR22 Polyclonal antibody

Catalog Number: 19951-1-AP




Basic Information	Catalog Number: 19951-1-AP	GenBank Accession Number: NM_005295	Purification Method: Antigen affinity purification					
	Size: 260 ug/ml	GenelD (NCBI): 2845	Recommended Dilutions: WB 1:500-1:1000					
	Source: Rabbit	UNIPROT ID: Q99680	IHC 1:50-1:500					
	Isotype: IgG	Full Name: G protein-coupled receptor 22 Calculated MW: 49 kDa Observed MW: 49 kDa						
				Applications	Tested Applications: WB, IHC, ELISA		Positive Controls: WB : mouse heart tissue, mouse brain tissue, rat brain tissue IHC : human testis tissue.	
					Species Specificity: human, mouse, rat	tissue		
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0								
Background Informatior	GPR22 Belongs to the G-protein coupled receptor 1 family. GPR22 is an Orphan receptor. The antibody recognize the C-term of GPR22.							
Storage	Storage: Store at -20°C. Stable for one Storage Buffer: PBS with 0.02% sodium azid Aliquoting is unnecessary fo	e and 50% glycerol pH 7.3.						

 For technical support and original validation data for this product please contact:


 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




1x10^6 SH-SY5Y cells were intracellularly stained with 0.4 ug GPR22 Polyclonal antibody (19951-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 19951-1-AP (GPR22 Antibody) at dilution of 1:100 (under 40x lens).



mouse heart tissue were subjected to SDS PAGE followed by western blot with 19951-1-AP (GPR22 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human testis tissue slide using 19951-1-AP (GPR22 Antibody) at dilution of 1:100 (under 10x lens).