For Research Use Only

MLN64 Polyclonal antibody Catalog Number: 20292-1-AP Featured Product 3

Featured Product 3 Publications




Basic Information	Catalog Number: 20292-1-AP	GenBank Accession Number: BC008747		Purification Method: Antigen affinity purification	
	Size: Genel D (NCBI): 500 μ g/ml 10948		il):	Recommended Dilutions: WB 1:500-1:1000	
	Source: Rabbit	UNIPROT ID: 014849		IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Isotype: IgG Immunogen Catalog Number: AG14061	Full Name: StAR-related lipid transfer (START) domain containing 3 Calculated MW: 445 aa, 51 kDa		IHC 1:20-1:200 IF/ICC 1:50-1:500	
					Observed MV 33-53 kDa
		Applications	WB, IHC, IF/ICC, IP, ELISA WB : MCF7 d		Positive Con
ılls, mouse placenta tissue, MCF-7 cells urkat cells, mouse brain tissue, rat brain					
Species Specificity: IP : MCF-7 ce			lls,		
human, mouse, rat IHC : human			ovary tumor tissue,		
Cited Species: IF/ICC : MCF			-7 cells,		
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0					
Background Information	MLN64 (also known as STARD3) is an integral membrane protein anchored in late endosomes. MLN64 has a StAR- related lipid-transfer (START) domain to bind cholesterol, mediating intracellular cholesterol transfer. MLN64 is widely expressed in multiple tissues including liver, spleen, heart, kidney, lung, and the brain. Higher expression o MLN64 has been found in several malignancies. MLN64 can be detected as 33 kDa truncated fragment (PMID:9237999, PMID:15718238).				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Rui Liu	24905460	Autophagy	WB	
	Sönke Rudnik	39370902	J Cell Sci	WB	
	Jijia Hu	38754814	Life Sci	WB,IHC,IF,IP	
Storage	Storage: Store at -20°C. Stable for one yea	ar after shipment.			


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




MCF7 cells were subjected to SDS PAGE followed by western blot with 20292-1-AP (MLN64 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




WB result of MLN64 antibody (20292-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MLN64 transfected Jurkat cells.




Immunohistochemical analysis of paraffinembedded human ovary tumor using 20292-1-AP (MLN64 antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffinembedded human ovary tumor using 20292-1-AP (MLN64 antibody) at dilution of 1:200 (under 40x lens).



IP result of anti-MLN64 (IP:20292-1-AP, 3ug; Detection:20292-1-AP 1:500) with MCF-7 cells lysate 1200ug.



Immunofluorescent analysis of (-20 $^{\rm C}$ Ethanol) fixed MCF-7 cells using 20292-1-AP (MLN64 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 20292-1-AP (MLN64 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.