For Research Use Only

LTBR Polyclonal antibody

Catalog Number: 20331-1-AP

Featured Product

8 Publications



Purification Method:

WB 1:1000-1:5000

IF/ICC 1:50-1:500

IHC 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 20331-1-AP BC026262 GeneID (NCBI): Concentration: 800 ug/ml 4055 Source: **UNIPROT ID:** Rabbit P36941 Isotype:

lymphotoxin beta receptor (TNFR

superfamily, member 3) Immunogen Catalog Number:

AG14065 Calculated MW: 435 aa, 47 kDa

Observed MW: 47-60 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), ELISA

Cited Applications: WB, IHC, IF Species Specificity: human, mouse **Cited Species:**

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

IHC: human hepatocirrhosis tissue, IF/ICC: HeLa cells,

WB: HeLa cells, mouse brain tissue

Positive Controls:

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Xinzhi Li	30613274	Theranostics	IF
Douglas G Osborne	25825439	J Immunol	WB
Mo Shen	28586003	Mol Med Rep	

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




HeLa cells were subjected to SDS PAGE followed by western blot with 20331-1-AP (LTBR antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human hepatocirrhosis using 20331-1-AP (LTBR antibody) at dilution of 1:50 (under 10x lens)



Immunohistochemical analysis of paraffinembedded human hepatocirrhosis using 20331-1-AP (LTBR antibody) at dilution of 1:50 (under 40x lens)



1x10^6 HeLa cells were intracellularly stained with 0.4 ug LTBR Polyclonal antibody (20331-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2) (red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using LTBR antibody (20331-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).