## For Research Use Only

## PPPDE1/PNAS4 Polyclonal antibody

Catalog Number:20517-1-AP

Featured Product

7 Publications

23 kDa



**Basic Information** 

Catalog Number:

20517-1-AP

BC004485

Size:

GeneID (NCBI):

600 µg/ml

51029

Source:

UNIPROT ID:

Rabbit

Q9BSY9

Isotype:

GeneID (NCBI):

Full Name:

PPPDE peptidase domain containing 1

Immunogen Catalog Number: Calculated MW:

AG14352 194 aa, 21 kDa
Observed MW:

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF

Species Specificity: human Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HeLa cells, NCI-H1299 cells, A549 cells, U-251

**Purification Method:** 

WB 1:300-1:600

protein lysate

IHC 1:20-1:200

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

cells

IP: A549 cells,

IHC: human lung cancer tissue,

IF/ICC: HepG2 cells,

**Background Information** 

PPPDE peptidase domain 1 (PPPDE1), also named as PNAS4, is a highly conserved gene ubiquitously expressed in various tissues. PPPDE1 has been identified as a novel pro-apoptotic gene activated during the early response to DNA damage which is thought to play a critical role in cellular function regarding the maintenance of genomic integrity. This antibody specifically recognized endogenous PPPDE1, which has been confirmed by siRNA test.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Yu-Huan Kang	25120694	Oncol Lett	IHC
Xingwang Xie	30426280	Apoptosis	WB
Xingwang Xie	28483520	Biochem Biophys Res Commun	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




WB result of PPPDE1 antibody (20517-1-AP, 1:1000) with A549 cells transfected with si-control and si-PPPDE1.




HeLa cells were subjected to SDS PAGE followed by western blot with 20517-1-AP (PPPDE 1/PNAS4 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human lung cancer using 20517-1-AP (PPPDE1/PNAS4 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human lung cancer using 20517-1-AP (PPPDE1/PNAS4 antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HepG2 cells, using PPPDE1 antibody 20517-1-AP at 1:25 dilution and FITC-labeled goat anti-Rabbit IgG (green).



IP result of anti-PPPDE1/PNAS4 (IP:20517-1-AP, 4ug; Detection:20517-1-AP 1:500) with A549 cells lysate 2800ug.