For Research Use Only

SMARCA4/BRG1 Polyclonal antibody

Catalog Number: 20650-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number: 20650-1-AP Concentration: 650 ug/ml Source:

Rabbit Isotype: IgG GenBank Accession Number: NM_001128844

GeneID (NCBI): 6597 UNIPROT ID:

P51532
Full Name:

SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 4

Calculated MW: 185 kDa Observed MW: 180 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000

Applications

Tested Applications:

WB, ELISA

Cited Applications: WB, IF, ChIP Species Specificity: human, mouse, rat

Cited Species: mouse

Positive Controls:

WB: HeLa cells, K-562 cells, HepG2 cells

Background Information

SMARCA4, also named as BAF190A, BRG1, SNF2B and SNF2L4, belongs to the SNF2/RAD54 helicase family. SMARCA4 is a transcriptional coactivator cooperating with nuclear hormone receptors to potentiate transcriptional activation. It is a component of the CREST-BRG1 complex, a multiprotein complex that regulates promoter activation by orchestrating a calcium-dependent release of a repressor complex and a recruitment of an activator complex. It is also involved in vitamin D-coupled transcription regulation via its association with the WINAC complex, a chromatin-remodeling complex recruited by vitamin D receptor (VDR), which is required for the ligand-bound VDR-mediated transrepression of the CYP27B1 gene. The antibody is specific to SMARCA4.

Notable Publications

Author	Pubmed ID	Journal	Application
Jing Li	37880339	Acta Pharmacol Sin	WB,IF,ChIP

Storage

Storage:


Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data





HeLa cells were subjected to SDS PAGE followed by western blot with 20650-1-AP (SMARCA4/BRG1 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.

WB result of SMARCA4/BRG1 antibody (20650-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SMARCA4/BRG1 transfected HepG2 cells.