### For Research Use Only

# LIS1 Polyclonal antibody

Catalog Number: 20678-1-AP

1 Publications



**Basic Information** 

Catalog Number: 20678-1-AP

Size: 950 µg/ml Source: Rabbit

Isotype: IgG GenBank Accession Number:

NM\_000430 GeneID (NCBI): 5048 UNIPROT ID: P43034 Full Name:

platelet-activating factor acetylhydrolase, isoform Ib, alpha subunit 45kDa

Calculated MW: 47 kDa Observed MW: 45-50 kDa Purification Method:

Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500

**Applications** 

Tested Applications: IHC, WB, ELISA Cited Applications:

Species Specificity: human, mouse, rat Cited Species: human, mouse

WB, IHC

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:** 

WB: mouse brain tissue, rat brain tissue

IHC: mouse brain tissue,

## **Background Information**

Platelet-activating factor acetylhydrolase 1B subunit alpha (LIS1), a critical mediator of neuronal migration in developing brain, is expressed throughout life. LIS1 forms a homodimer that interacts directly with the dynein complex and is essential for its enrichment at dynamic microtubule plus ends in mammalian cells. In addition to regulating the association of dynein with microtubule plus ends, LIS1 is required for efficient transport of many dynein-associated cargos and proper localization of Golgi complexes, endosomes, lysosomes, and mitochondria. The LIS1 protein has a calculated molecular mass of ~45 kDa.(PMID: 29150182, PMID: 29562183, PMID: 15800059)

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Guochao Liu	38344318	Iran J Biotechnol	WB,IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 20678-1-AP (LIS1 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 20678-1-AP (LIS1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 20678-1-AP (LIS1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).