

For Research Use Only

HPDL Polyclonal antibody

Catalog Number: 20777-1-AP

1 Publications



Basic Information

Catalog Number:

20777-1-AP

Size:

300 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG14773

GenBank Accession Number:

BC007293

GeneID (NCBI):

84842

UNIPROT ID:

Q96IR7

Full Name:

4-hydroxyphenylpyruvate
dioxygenase-like

Calculated MW:

371 aa, 39 kDa

Observed MW:

35-39 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

IHC 1:20-1:200

IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

human

**Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (*) Alternatively, antigen
retrieval may be performed with citrate
buffer pH 6.0**

Positive Controls:

WB : HepG2 cells, L02 cells

IHC : human stomach tissue, human colon tissue

IF/ICC : Caco-2 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Yuanxuan Ma	39427829	Gene	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 20777-1-AP (HPDL antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human stomach using 20777-1-AP (HPDL antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human stomach using 20777-1-AP (HPDL antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (4% PFA) fixed Caco-2 cells using HPDL antibody (20777-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).