

For Research Use Only

LZTS1 Polyclonal antibody

Catalog Number: 20878-1-AP

Featured Product

3 Publications



Basic Information

Catalog Number:

20878-1-AP

Size:

650 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG14977

GenBank Accession Number:

BC075007

GeneID (NCBI):

11178

UNIPROT ID:

Q9Y250

Full Name:

leucine zipper, putative tumor suppressor 1

Calculated MW:

596 aa, 67 kDa

Observed MW:

67 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:500-1:2000

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : Jurkat cells, HEK-293 cells, human testis tissue, mouse ovary tissue, mouse thymus tissue, PC-3 cells, rat brain tissue, mouse brain tissue

IP : mouse brain tissue,

IHC : human skin cancer tissue,

IF/ICC : HepG2 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
T Kawaue	31239441	Nat Commun	WB,IF
Xiaoqun Mai	39757032	Int Dent J	WB,IHC
Tianwei Chen	36453019	Mol Oncol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 20878-1-AP (LZTS1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded skin cancer slide using 20878-1-AP (LZTS1 antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HepG2 cells, using LZTS1 antibody 20878-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP result of anti-LZTS1 (IP:20878-1-AP, 3ug; Detection:20878-1-AP 1:500) with mouse brain tissue lysate 7500ug.