For Research Use Only

E-selectin / CD62E Polyclonal antibody



Catalog Number: 20894-1-AP

40 Publications

Basic Information

Catalog Number: 20894-1-AP

Size: 350 μg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

GenBank Accession Number:

BC142711 GeneID (NCBI): 6401

UNIPROT ID: P16581 Full Name:

Calculated MW: 610 aa, 67 kDa

selectin E

Positive Controls:

IHC: human tonsillitis tissue, human appendicitis

Purification Method:

IHC 1:2000-1:8000

Antigen affinity purification

Recommended Dilutions:

Applications

Tested Applications: FC, IHC, ELISA Cited Applications: IF, IHC, WB

Species Specificity:

human

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

E-selectin, also known as ELAM-1 or CD62E, is a member of the selectin family of adhesion molecules that also includes L-selectin and P-selectin. E-selectin is an inducible endothelial cell surface molecule. Its expression on endothelial cells is transcriptionally upregulated by various proinflammatory substances such as IL-1, TNF α and lipopolysaccharide (LPS). Besides, it can be secreted by endothelial cells, and can be detected in a soluble form (sEselectin) in serum. During inflammation, E-selectin plays an important part in recruiting leukocytes to the site of injury. (PMID: 2827173; 1382417; 8943958)

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaohui Zhou	32935825	Clinics (Sao Paulo)	WB
Zhen Tan	36478888	Exp Ther Med	WB
Juan Feng	34743931	Fitoterapia	WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 20894-1-AP (E-selectin / CD62E antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 20894-1-AP (E-selectin / CD62E antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1X10^6 HUVEC cells were stained with 0.2ug Eselectin / CD62E antibody (20894-1-AP, red) and control antibody (blue). Fixed with 4% PFA blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500.