For Research Use Only

E-selectin/CD62E Polyclonal antibody

Catalog Number: 20894-1-AP 46 Publications



Basic Information

Catalog Number: 20894-1-AP Concentration:

350 ug/ml Source:

Rabbit

Isotype:

AG14944

Calculated MW: Immunogen Catalog Number: 610 aa, 67 kDa Observed MW:

115 kDa

BC142711

6401

P16581 Full Name:

selectin E

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000 IHC 1:2000-1:8000

Applications

Tested Applications: WB, IHC, ELISA Cited Applications: WB, IHC, IF

Species Specificity:

human **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HUVEC cells,

IHC: human appendicitis tissue, human tonsillitis

Background Information

E-selectin, also known as ELAM-1 or CD62E, is a member of the selectin family of adhesion molecules that also includes L-selectin and P-selectin. E-selectin is an inducible endothelial cell surface molecule. Its expression on endothelial cells is transcriptionally upregulated by various proinflammatory substances such as IL-1, TNF lpha and lipopolysaccharide (LPS). Besides, it can be secreted by endothelial cells, and can be detected in a soluble form (sEselectin) in serum. During inflammation, E-selectin plays an important part in recruiting leukocytes to the site of injury. (PMID: 2827173; 1382417; 8943958)

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaohui Zhou	32935825	Clinics (Sao Paulo)	WB
Zhen Tan	36478888	Exp Ther Med	WB
Juan Feng	34743931	Fitoterapia	WB

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 20894-1-AP (Eselectin/CD62E antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human appendicitis tissue slide using 20894-1-AP (E-selectin / CD62E antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human appendicitis tissue slide using 20894-1-AP (E-selectin / CD62E antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).