## For Research Use Only

# SP6 Polyclonal antibody

Catalog Number:21234-1-AP

1 Publications



**Basic Information** 

Catalog Number: 21234-1-AP

Size: 220 µg/ml Source: Rabbit Isotype:

IgG Sp6 transcription factor
Immunogen Catalog Number: Calculated MW:
AG15707 376 aa, 40 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:200-1:1000 IHC 1:20-1:200

**Applications** 

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications: WB, IHC

Species Specificity: human, mouse, rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: fetal human brain tissue, mouse brain tissue IHC: human skin tissue, human placenta tissue

IF 1:50-1:500

IF: Caco-2 cells,

# **Background Information**

SP6 (chromosome 17) is a 376 amino acid protein, which localizes in nucleus. SP6 is a transcription factor of the SP/KLF family and an indispensable regulator of the morphological dynamics of ameloblast differentiation during tooth development. The levels of sp6 protein expressed in various tissues in the embryo. This antibody detects the SP6 protein. It can't detect the KLF14/BTEB5.

GenBank Accession Number:

BC103951

80320

Q3SY56

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

This antibody was previously listed as a KLF14 antibody, because the SP6 gene on chromosome 17q21.32 has been referred to as KLF14 in the literature. SP6 should not be confused with the KLF14 gene on chromosome 7q32.2.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Guiyang Wu	30745849	Int J Biol Sci	WB,IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20 $^{\circ}$ C storage


## **Selected Validation Data**



fetal human brain tissue were subjected to SDS PAGE followed by western blot with 21234-1-AP (KLF14 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human skin using 21234-1-AP (KLF14 antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human skin using 21234-1-AP (KLF14 antibody) at dilution of 1:100 (under 40x lens).

Immunofluorescent analysis of (4% PFA) fixed Caco-2 cells using SP6 antibody (21234-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).