

SLC39A2 Polyclonal antibody

Catalog Number: 21287-1-AP

Basic Information

Catalog Number:

21287-1-AP

Size:

400 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG15807

GenBank Accession Number:

BC096723

GeneID (NCBI):

29986

UNIPROT ID:

Q9NP94

Full Name:

solute carrier family 39 (zinc transporter), member 2

Calculated MW:

309 aa, 33 kDa

Observed MW:

33 kDa, 66-70 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

human

Positive Controls:

WB : K-562 cells,

IHC : human colon cancer tissue, mouse brain tissue

Note-IHC: suggested antigen retrieval with *TE buffer pH 9.0*; (*) Alternatively, antigen retrieval may be performed with *citrate buffer pH 6.0*

Background Information

SLC39A2 (hZIP2) is a human zinc importer in the ZIP family, which is essential in the maintenance of intracellular zinc homeostasis and is upregulated by zinc depletion. SLC39A2 is highly expressed in prostate epithelial cells and is involved in prostate cancer development. Most SLC39 proteins consist of eight transmembrane domains (TMDs), with extracellular or intravesicular amino and carboxy termini (PMID: 34790705). Zip2 gene knockout exacerbated myocardial I/R injury, whereas Zip2 gene transfer reduced myocardial infarction (PMID: 31095941). The predicted molecular weight of SLC39A2 is 33 kDa, and a band of dimers at 66 kDa can also be detected by this antibody (PMID: 24619115).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffin-embedded Colorectal cancer slide using 21287-1-AP (SLC39A2 antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Various lysates were subjected to SDS PAGE followed by western blot with 21287-1-AP (SLC39A2 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 21287-1-AP (SLC39A2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded Colorectal cancer slide using 21287-1-AP (SLC39A2 antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using SLC39A2 antibody (21287-1-AP) at dilution of 1:400 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).