

For Research Use Only

CCDC55 Polyclonal antibody

Catalog Number: 21360-1-AP **1 Publications**



Basic Information

Catalog Number: 21360-1-AP	GenBank Accession Number: BC040118	Purification Method: Antigen Affinity purified
Size: 850 µg/ml	GeneID (NCBI): 84081	Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q9H0G5	
Isotype: IgG	Full Name: coiled-coil domain containing 55	
Immunogen Catalog Number: AG15811	Calculated MW: 558 aa, 66 kDa	
	Observed MW: 66 kDa 70 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls: WB : COLO 320 cells, IHC : human brain tissue,
Cited Applications: WB	
Species Specificity: human	
Cited Species: pig	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

CCDC55, also named as NSRP1 and NSRP70, is a conserved coiled-coil domain containing protein. It is a novel regulator of cell migration. This antibody detects 66 kDa (native form) and 70 kDa (phospho form).

Notable Publications

Author	Pubmed ID	Journal	Application
Lei Liu	38474122	Int J Mol Sci	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunohistochemical analysis of paraffin-embedded human brain tissue slide using 21360-1-AP (CCDC55 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human brain tissue slide using 21360-1-AP (CCDC55 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



COLO 320 cells were subjected to SDS PAGE followed by western blot with 21360-1-AP (CCDC55 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.