For Research Use Only

IFIH1/MDA5 Polyclonal antibody

Catalog Number:21775-1-AP

Featured Product 58 Publications


Antibodies | ELISA kits | Proteins www.ptglab.com

Basic Information	Catalog Number: 21775-1-AP	GenBank Accession BC111750	Number:	Purification Method: Antigen affinity purification	
	Concentration: Genel D (NCBI):			Recommended Dilutions:	
	850 ug/ml			WB 1:2000-1:16000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:50-1:500	
	Rabbit Q9BYX4 protein				
	Immunogen Catalog Number:	domain 1			
	AG16467				
		Observed MW: 117-125 kDa			
Applications	Tested Applications:	Positive Controls: WB : Jurkat cells, Raji cells			
	WB, IHC, IP, ELISA				
	Cited Applications: WB, IHC, IF, IP, CoIP, RIP	IP : Jurkat cells,			
	Species Specificity: IHC : human skeletal muscle tissue, human				
	Cited Species: human, pig, monkey				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	IFIH1 (Interferon-induced helicase C domain-containing protein 1) is a putative RNA helicase that is upregulated in response to treatment with IFNB or IFNB and MEZ. It is also named as MDA5 and RH116. Ectopic expression of MDA5 in melanoma cells resulted in reduced colony formation, suggesting an interaction of the CARD and apoptotic signa molecules. Functional analysis indicated that MDA5 is an RNA-dependent ATPase. IFIH1 has an apparent molecular mass of 117-130 kDa, and always other bands (70 kDa and 90 kDa) can be detected as cleaved products (PMID: 17267501).				
Notable Publications	Author	Pubmed ID Jour	rnal	Application	
	Jiangang Zheng	34587973 BMC	Vet Res	WB	
	Matthew Charman	34621686 From	nt Cell Infect Micro	biol WB	
	Wei Zhang	25228491 J Ge	en Virol	WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an				

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




WB result of IFIH1 antibody (21775-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-IFIH1 transfected Jurkat cells.




Immunohistochemical analysis of paraffinembedded human skeletal muscle tissue slide using 21775-1-AP (IFIH1 antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffinembedded human skeletal muscle tissue slide using 21775-1-AP (IFIH1 antibody) at dilution of 1:200 (under 40x lens).




IP result of anti-IFIH1/MDA5 (IP:21775-1-AP, 4ug; Detection:21775-1-AP 1:300) with Jurkat cells lysate 4000 ug.



Jurkat cells were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1/MDA5 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1/MDA5 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using IFIH1/MDA5 antibody (21775-1-AP) at dilution of 1:200 and CoraLite®647-conjugated F(ab.