

For Research Use Only

SP1 Polyclonal antibody

Catalog Number: 21962-1-AP

Featured Product

127 Publications



Basic Information

Catalog Number:

21962-1-AP

Concentration:

700 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG16720

GenBank Accession Number:

BC062539

GeneID (NCBI):

6667

ENSEMBL Gene ID:

ENSG00000185591

UNIPROT ID:

P08047

Full Name:

Sp1 transcription factor

Calculated MW:

785 aa, 81 kDa

Observed MW:

95-106 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:16000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF/ICC 1:20-1:200

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF, IP, CoIP, ChIP

Species Specificity:

human, mouse, rat, monkey

Cited Species:

human, mouse, rat, pig, monkey, sheep

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, A431 cells, HEK-293 cells, HeLa cells, K-562 cells

IP: A431 cells,

IHC: human lung cancer tissue, human colon tissue, human stomach cancer tissue

IF/ICC: HeLa cells,

Background Information

The transcription factor Sp1 is a C2H2 zinc-finger protein that is involved in the regulation of a wide variety of genes, including housekeeping genes and tumor-developing genes. It is associated with tumor development, growth, and metastasis [PMID: 16209919]. It regulates the expression of a large number of genes involved in a variety of processes such as cell growth, apoptosis, differentiation and immune responses. Besides, it has a role in modulating the cellular response to DNA damage, recruiting SMARCA4/BRG1 on the c-FOS promoter, regulation of FE65 gene expression [PMID: 11371615, 16332679]. SP1 is detected with MW 95-105 kDa and 65 kDa in this paper [PMID: 10618488].

Notable Publications

Author	Pubmed ID	Journal	Application
Yongchun Yu	36183674	Transl Oncol	WB, ChIP
Faisal Aziz	26427350	Toxicol In Vitro	WB, IHC
Liping Wang	34559939	IUBMB Life	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 21962-1-AP (SP1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




IP result of anti-SP1 (IP:21962-1-AP, 6ug; Detection:21962-1-AP 1:500) with A431 cells lysate 2500ug.




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 21962-1-AP (SP1 Antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of HeLa cells using 21962-1-AP (SP1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 21962-1-AP (SP1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



WB result of SP1 antibody (21962-1-AP; 1:12000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SP1 transfected HeLa cells.