

For Research Use Only

MYOM1 Polyclonal antibody

Catalog Number: 22084-1-AP



Basic Information

Catalog Number: 22084-1-AP	GenBank Accession Number: BC116183	Purification Method: Antigen affinity purification
Size: 500 µg/ml	GeneID (NCBI): 8736	Recommended Dilutions: WB 1:20000-1:100000 IHC 1:200-1:800
Source: Rabbit	UNIPROT ID: P52179	
Isotype: IgG	Full Name: myomesin 1, 185kDa	
Immunogen Catalog Number: AG17263	Calculated MW: 1685 aa, 188 kDa	
	Observed MW: 170-180 kDa	

Applications

Tested Applications: WB, IHC, ELISA	Positive Controls:
Species Specificity: human, mouse, rat	WB: mouse heart tissue, rat heart tissue
Note-IHC: <i>suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0</i>	IHC: mouse heart tissue, mouse skeletal muscle tissue

Background Information

MYOM1 is a major component of the vertebrate myofibrillar M band. MYOM1 binds myosin, titin, and light meromyosin. This binding is dose-dependent.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse heart tissue were subjected to SDS PAGE followed by western blot with 22084-1-AP (MYOM1 antibody) at dilution of 1:100000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse heart tissue slide using 22084-1-AP (MYOM1 antibody) at dilution of 1:400 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse heart tissue slide using 22084-1-AP (MYOM1 antibody) at dilution of 1:400 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).