#### For Research Use Only

# **ENDOG Polyclonal antibody**

Catalog Number: 22148-1-AP

Featured Product

11 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 22148-1-AP BC016351

Size: GenelD (NCBI):

400 ug/ml 2021

Source: UNIPROT ID:
Rabbit Q14249
Isotype: Full Name:
IgG endonuclease G
Immunogen Catalog Number: Calculated MW:
AG17739 297 aa, 33 kDa

Observed MW: 27-30 kDa

**Applications** 

Tested Applications: WB, IHC, IP, ELISA Cited Applications:

WB, IHC, IF Species Specificity: human, mouse, rat

Cited Species: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Purification Method: Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:16000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

WB: mouse heart tissue, mouse kidney tissue, mouse

liver tissue, mouse skeletal muscle tissue, rat kidney

IHC 1:400-1:1600

**Positive Controls:** 

tissue, rat liver tissue

IP: mouse heart tissue,

IHC: human ovary cancer tissue,

# Background Information

Endonuclease G, also named as EndoG, is a mitochondrial protein. It's a nuclease which was first characterized in bovine heart mitochondrial extracts. It's involved in many cellular process, including apoptosis, paternal mitochondrial elimination and autophage (PMID:33473107). It is a nuclear encoded, sugar-non-specific (PMID:15066427) and well-conserved nuclease (PMID:17244531). It can be released from the mitochondria and translocated to the nucleus where it induces fragmentation of DNA, leading to apoptosis (PMID:11452314). EndoG is a 297-amino-acid long protein with a molecular weight of 30-35 kDa. There is a homodimer form with MW about 60-70 kDa.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Han Liao	26415619	Chem Biol Interact	WB
Maria Luisa Valle	36241022	Mol Cell Neurosci	WB
Weichen Xiong	34025394	Front Pharmacol	WB

### Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.co

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 22148-1-AP (ENDOG antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



IP result of anti-ENDOG (IP:22148-1-AP, 4ug; Detection:22148-1-AP 1:1000) with mouse heart tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 22148-1-AP (ENDOG antibody) at dilution of 1:800 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).