For Research Use Only

Cytokeratin 7 Polyclonal antibody

Catalog Number:22208-1-AP 2 Publications



Basic Information

Catalog Number: 22208-1-AP

Size:
450 ug/ml
Source:
Rabbit
Isotype:

Immunogen Catalog Number: AG17528

528 469 aa, 51 kDa Observed MW: 51 kDa Purification Method:

Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000 IHC 1:400-1:1600 IF-P 1:50-1:500 IF/ICC 1:200-1:800

Applications

Tested Applications: WB, IHC, IF/ICC, IF-P, ELISA

Cited Applications:

IHC, IF

Species Specificity:

human
Cited Species:
human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

GenBank Accession Number:

BC002700

3855

P08729

GeneID (NCBI):

UNIPROT ID:

Full Name:

keratin 7
Calculated MW:

WB: A431 cells, HeLa cells, HepG2 cells

IHC: human lung cancer tissue, human bowen disease, human breast cancer tissue, human kidney tissue, human ovary cancer tissue, human ovary tumor tissue, human pancreas tissue

IF-P: mouse liver tissue,
IF/ICC: A549 cells, HeLa cells

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Jinfeng Cao	38846957	Front Genet	IF
Chunmei Li	37934895	Ginekol Pol	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed A549 cells using Cytokeratin 7 antibody (22208-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 22208-1-AP (Cytokeratin 7 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 22208-1-AP (Cytokeratin 7 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



A431 cells were subjected to SDS PAGE followed by western blot with 22208-1-AP (Cytokeratin 7 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse liver tissue using Cytokeratin 7 antibody (22208-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).