### For Research Use Only

# **REST Polyclonal antibody**

Catalog Number:22242-1-AP

**Featured Product** 

**27 Publications** 



**Basic Information** 

Catalog Number:

22242-1-AP

BC132859

Concentration:

600 ug/ml

5978

Source:

UNIPROT ID:

Rabbit

Q13127

Isotype:

GenBank Accession Number:

GeneID (NCBI):

5978

UNIPROT ID:

Q13127

Full Name:

IgG RE1-silencing transcription factor

Immunogen Catalog Number: Calculated MW: AG17707 1097 aa, 122 kDa

Observed MW: 200 kDa Antigen affinity purification Recommended Dilutions: WB 1:500-1:3000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:400-1:1600

**Purification Method:** 

**Applications** 

Tested Applications: WB, IHC, IP, ELISA Cited Applications: WB, IHC, IF, IP, CoIP, ChIP Species Specificity:

human
Cited Species:

human, mouse, rat, hamster

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Raji cells, HEK-293 cells

IP: HeLa cells,

IHC: human breast cancer tissue,

# **Background Information**

REST also named as NRSF or X2 box repressor is a 1097 amino acid protein, which contains 9 C2H2-type zinc fingers. REST as transcriptional repressor binds neuron-restrictive silencer element (NRSE) and represses neuronal gene transcription in non-neuronal cells. Repressor element 1 (RE1) silencing transcription factor (REST), is widely expressed during embryogenesis, and plays a strategic role in terminal neuronal differentiation. The molecular weight of REST is 121 kDa, but REST was detected 200kDa by western blot in our result, which is similar to the one article (PMID: 16764822).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Hiroyuki Obata	36185767	Exp Ther Med	IF
Haiwei Zhang	36125121	Elife	IF
Qingzhe Wu	34597132	Sci Adv	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Raji cells were subjected to SDS PAGE followed by western blot with 22242-1-AP (REST antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



WB result of REST antibody (22242-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-REST transfected HEK-293 cells.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 22242-1-AP (REST antibody) at dilution of 1:800 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-REST (IP:22242-1-AP, 4ug; Detection:22242-1-AP 1:15000) with HeLa cells lysate 1750 ug.