For Research Use Only

## Adiponectin receptor 1 Polyclonal antibody

Catalog Number:22425-1-AP

1 Publications



| Basic Information      | Catalog Number:<br>22425-1-AP   | GenBank Accession Number:<br>BC010743               | Purification Method:<br>Antigen affinity purification |
|------------------------|---|---|---|
|                        | Size:   | GeneID (NCBI):                                      | Recommended Dilutions:                                |
|                        | 450 ug/ml   | 51094   | WB 1:500-1:1000<br>IHC 1:50-1:500                     |
|                        | Source:<br>Rabbit   | UNIPROT ID:<br>Q96A54                               |   |
|                        | Isotype:<br>IgG   | Full Name:<br>adiponectin receptor 1                |   |
|                        | Immunogen Catalog Number:<br>AG18187  | Calculated MW:<br>375 aa, 43 kDa                    |   |
|                        |   | Observed MW:<br>45 kDa                              |   |
| Applications           | Tested Applications:  | Positive Controls:                                  |   |
|                        | WB, IHC, ELISA WB : mouse brain ti  |   | use brain tissue, rat brain tissue                    |
|                        | Cited Applications:<br>WB   | IHC : human intrahepatic cholangiocarcinoma tissue, |   |
|                        | Species Specificity:<br>human, mouse, rat   |   |   |
|                        | Cited Species:<br>human   |   |   |
|                        | Note-IHC: suggested antige<br>TE buffer pH 9.0; (*) Altern<br>retrieval may be performed<br>buffer pH 6.0   | atively, antigen                                    |   |
| Background Information | Adiponectin is a hormone secreted by adipocytes that acts as an antidiabetic and anti-atherogenic adipokine. Two receptors for adiponectin have been identified: adiponectin receptor 1 (AdipoR1) and adiponectin receptor 2 (AdipoR2). They are seven-transmembrane domain receptors and mediate increased AMPK, MAPK and PPARA ligand activity in response to adiponectin. AdipoR1 is found in many tissues, being particularly abundant in skeletal muscle, whereas AdipoR2 is predominantly expressed in the liver (PMID: 24417942). AdipoR1 has a high affinity for globular adiponectin and a very low affinity for full-length adiponectin. AdipoR2 has an intermediate affinity for both forms. |   |   |
| Notable Publications   | Author  | Pubmed ID Journal                                   | Application   |
|                        | Jiafan Feng   | 39364562 Environ Sci Tec                            | hnol WB   |
| Storage                | Storage:<br>Store at -20°C. Stable for one year<br>Storage Buffer:<br>PBS with 0.02% sodium azide and<br>Aliquoting is unnecessary for -20  | 1 50% glycerol pH 7.3.                              |   |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded human intrahepatic cholangiocarcinoma tissue slide using 22425-1-AP (Adiponectin receptor 1 antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human intrahepatic cholangiocarcinoma tissue slide using 22425-1-AP (Adiponectin receptor 1 antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Various lysates were subjected to SDS PAGE followed by western blot with 22425-1-AP (Adiponectin receptor 1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.