

NO66/C14orf169 Polyclonal antibody

Catalog Number: 22842-1-AP

Basic Information

Catalog Number:

22842-1-AP

Size:

400 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG18721

GenBank Accession Number:

BC011350

GeneID (NCBI):

79697

UNIPROT ID:

Q9H6W3

Full Name:chromosome 14 open reading frame
169**Calculated MW:**

641 aa, 71 kDa

Observed MW:

71 kDa

Purification Method:

Antigen Affinity purified

Recommended Dilutions:

WB 1:1000-1:6000

IP 0.5-4.0 µg for 1.0-3.0 mg of total
protein lysate

Applications

Tested Applications:

IP, WB, ELISA

Species Specificity:

human

Positive Controls:

WB : A431 cells, Jurkat cells, NCCIT cells

IP : Jurkat cells,

Background Information

NO66, also known as C14orf169 and MAP1D, is a JmjC domain-containing oxygenase that can act as both a histone lysine demethylase and a ribosomal histidine hydroxylase. NO66 is highly conserved during evolution and shows a dual localization pattern, present in both the nucleoplasm and nucleolus (PMID: 14742713). It has been reported that NO66 participates in regulation of Osx transcriptional activity and plays an important role in osteoblast differentiation through interaction with Osx (PMID: 19927124; 23620590). Through interaction with MYC protein, NO66 plays a role in pulmonary carcinogenesis (PMID: 17308053).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926


E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 22842-1-AP (NO66/C14orf169 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



IP result of anti-NO66/C14orf169 (IP:22842-1-AP, 4ug; Detection:22842-1-AP 1:500) with Jurkat cells lysate 4000ug.