For Research Use Only

## MGME1 Polyclonal antibody

Catalog Number:23178-1-AP

Featured Product

**3** Publications




Basic Information	Catalog Number: 23178-1-AP	GenBank Access BC016869	ion Number:	Purification Method: Antigen affinity purification
	Size:	GenelD (NCBI):		Recommended Dilutions:
	750 µg/ml	92667		WB 1:500-1:2000 IHC 1:20-1:200
	Source: Rabbit	UNIPROT ID: Q9BQP7		IIIC 1.20 1.200
	lsotype: IgG	Full Name: chromosome 20 open reading frame 72		
	Immunogen Catalog Number: AG19644	Calculated MW: 344 aa, 39 kDa Observed MW: 36-39 kDa		
Applications	Tested Applications:	ions: Positive Controls:		
	IHC, WB, ELISA	WB : Jurkat cells, A549 cells, HEK-293 cells, HepG2		
	Cited Applications: cells, mouse liver tissue, Y79 cells   WB, IP, IF IHC : human kidney tissue, human liver cancer tissue			
	Species Specificity: human, mouse			
	Cited Species: human, mouse			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	MGME1, also named as C20orf72, is a single-stranded DNA (ssDNA) exonuclease involved in mitochondrial genom maintenance. It has preference for 5'-3' exonuclease activity. MGME1 cleaves single-stranded DNA (ssDNA) and several DNA or DNA-RNA chimeric oligonucleotides that showed free nucleic acid ends. It probably involved in mitochondrial DNA (mtDNA) repair, possibly via the processing of displaced DNA containing Okazaki fragments during RNA-primed DNA synthesis on the lagging strand or via processing of DNA flaps during long-patch base excision repair. This antibody detects the 35-40 kDa protein.			
Notable Publications	Author	Pubmed ID	Journal	Application
	Jianli Tang	36106732	mBio	IF,IP
	Hongxu Xian	35835107	mmunity	WB
	nongku klan			=
	Yi Fu	37832546	Mol Cell	WB

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Jurkat cells were subjected to SDS PAGE followed by western blot with 23178-1-AP (MGME1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human kidney slide using 23178-1-AP (MGME1 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human kidney slide using 23178-1-AP (MGME1 Antibody) at dilution of 1:50 (under 40x lens).