### For Research Use Only

# IFIT1 Polyclonal antibody

Catalog Number:23247-1-AP

**Featured Product** 

33 Publications



**Basic Information** 

Catalog Number:

23247-1-AP

BC007091

Concentration:

800 ug/ml

Source:

Rabbit

Sotype:

GenBank Accession Number:

BC007091

GeneID (NCBI):

3434

UNIPROT ID:

P09914

Full Name:

IgG interferon-induced protein with tetratricopeptide repeats 1

AG19691 Calculated MW:

478 aa, 55 kDa Observed MW: 55 KDa

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity:

human, mouse, rat
Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: IFN beta treated HeLa cells,

IHC: mouse kidney tissue, human kidney tissue, mouse brain tissue, rat kidney tissue

**Purification Method:** 

WB: 1:1000-1:4000 IHC: 1:300-1:1200

IF/ICC: 1:200-1:800

Antigen Affinity purified

Recommended Dilutions:

IF/ICC: HeLa cells,

## **Background Information**

IFIT1, also known as glucocorticoid-attenuated response gene 16 protein (GARG-16), is a 463 amino acid protein belonging to the IFIT family. IFIT genes comprise a large family with three (IFIT1, IFIT2, and IFIT3) and four (IFIT1, IFIT2, IFIT3, and IFIT5) members in mice and humans, respectively. IFIT1 specifically bound virus PPP-RNA forms a complex with IFIT2 and IFIT3 to sequester the viral PPP-RNA and prevent virus replication.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Zhangtao Jiang	27681138	J Virol	WB
Gaurav Raikhy	31292244	J Virol	IF
Matthew L Scott	31666385	J Virol	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3  $\,$ 

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**



untreated and IFN beta treated HeLa cells were subjected to SDS PAGE followed by western blot with 23247-1-AP (IFIT1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 23247-1-AP (IFIT1 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using IFIT1 antibody (23247-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).