For Research Use Only

Angiopoietin 1 Polyclonal antibody

Catalog Number:23302-1-AP

Featured Product

30 Publications

GenBank Accession Number:



Basic Information

Catalog Number: 23302-1-AP Concentration:

500 ug/ml

Source: Rabbit Isotype:

AG18829

Immunogen Catalog Number:

angiopoietin 1 Calculated MW: 498 aa, 58 kDa Observed MW:

70 kDa

BC152411

GeneID (NCBI):

UNIPROT ID:

Q15389 Full Name: **Purification Method:**

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000 IF/ICC 1:200-1:800

Applications

Tested Applications: WB, IF/ICC, ELISA Cited Applications:

WB. IF

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Positive Controls:

WB: HUVEC cells, mouse liver tissue, HepG2 cells, mouse heart tissue, A375 cells, rat heart tissue, HeLa cells, K-562 cells, C6 cells, U-87 MG cells

IF/ICC: HeLa cells,

Background Information

Angiopoietin 1 is a 70-kDa secreted glycoprotein generated from vascular mural cells, pericytes, and certain other cells. Angiopoietin 1 participates in vascular differentiation through angiogenesis, which is the process of the growth and remodelling of existing vessels. Angiopoietin 1 is also involved in the maintenance and turnover of blood vessels in mature animals. Angiopoietin 1 binds to and activates the TEK/TIE2 receptor by inducing its dimerization and tyrosine phosphorylation, playing an important role in the regulation of angiogenesis. Overexpression of Angiopoietin 1 has been proven to occur in malignant glioblastoma, neuroblastoma, non-small cell lung cancer, and other tumors.

Notable Publications

Author	Pubmed ID	Journal	Application
Su-Wei Hu	36155178	Life Sci	WB
Daohai Qian	30359310	Stem Cell Res Ther	WB
Yu Wang	29061393	Neurosci Lett	WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 23302-1-AP (Angiopoietin 1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using Angiopoietin 1 antibody (23302-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).