

For Research Use Only

MAN1A1 Polyclonal antibody

Catalog Number: 23382-1-AP



Basic Information

Catalog Number:

23382-1-AP

Size:

800 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG20060

GenBank Accession Number:

BC065827

GeneID (NCBI):

4121

UNIPROT ID:

P33908

Full Name:

mannosidase, alpha, class 1A, member 1

Calculated MW:

653 aa, 73 kDa

Observed MW:

68 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IF 1:200-1:800

Applications

Tested Applications:

IF/ICC, IP, WB, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB: HEK-293 cells, HepG2 cells, MCF-7 cells, mouse liver tissue, rat liver tissue

IP: MCF-7 cells,

IF: HepG2 cells,

Background Information

MAN1A1, also known as HUMM3, HUMM9, MAN9, belongs to the glycosyl hydrolase 47 family. MAN1A1 is a type II transmembrane protein and catalyzes the hydrolysis of three terminal mannose residues from peptide-bound Man(9)-GlcNAc(2) oligosaccharides. MAN1A1 is a tumor-suppressor and low levels of expression of MAN1A1 correlate with poor prognosis in breast cancer patients (PMID: 29381688).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 23382-1-AP (MAN1A1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



IP result of anti-MAN1A1 (IP:23382-1-AP, 4ug; Detection:23382-1-AP 1:300) with MCF-7 cells lysate 2000ug.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using MAN1A1 antibody (23382-1-AP) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).