For Research Use Only

SGK1 Polyclonal antibody

Catalog Number:23394-1-AP 5 Publications



Purification Method:

protein lysate

IHC 1:20-1:200

IHC: human pancreas tissue, human breast cancer

IF 1:10-1:100

Positive Controls:

IP: HEK-293 cells.

IF: HEK-293 cells,

tissue

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Basic Information

Catalog Number: 23394-1-AP Size:

1000 µg/ml Source: Rabbit Isotype:

serum/glucocorticoid regulated

kinase 1 Immunogen Catalog Number:

AG17888 Calculated MW: 431 aa. 49 kDa

Applications

Tested Applications: FC, IF/ICC, IHC, IP, ELISA

Cited Applications:

Species Specificity: human, mouse

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Serum- and glucocorticoid-induced kinase 1 (SGK1), also named as SGK, is a S/T protein kinase that belongs to the AGC (cAMP-dependent, cGMP-dependent, and protein kinase C) kinase family. It is expressed in many cell types and participates in numerous cellular processes and it is ubiquitinated and degraded at the ER membrane (PMID: 16847254). The N-terminal motif of SGK1 is critical for its ubiquitination and degradation(PMID:16817852). SGK and Akt are likely to phosphorylate related substrates, as they share a similar consensus phosphorylation site (RXRXXS/T)(PMID:11154281). It has 5 isoforms produced by alternative promoter usage and alternative splicing.

GenBank Accession Number:

BC001263

6446

000141

GeneID (NCBI):

UNIPROT ID:

Full Name:

Notable Publications

Author	Pubmed ID	Journal	Application
Huaxin Zhou	25993992	FASEB J	
Junling Ren	34162726	J Immunol	
Yunzhi Liu	35671705	J Innate Immun	

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human pancreas slide using 23394-1-AP (SGK1 Antibody) at dilution of 1:50.




Immunohistochemical analysis of paraffinembedded human pancreas slide using 23394-1-AP (SGK1 Antibody) at dilution of 1:50.



IP result of anti-SGK1 (IP:23394-1-AP, 4ug; Detection:23394-1-AP 1:600) with HEK-293 cells lysate 1480ug.



Immunofluorescent analysis of HEK-293 cells using 23394-1-AP (SGK1 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HeLa cells were stained with 0.2ug SGK1 antibody (23394-1-AP, red) and control antibody (blue). Fixed with 90% MeOH blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1000.