## For Research Use Only

## USP39 Polyclonal antibody

Catalog Number: 23865-1-AP

Featured Product

19 Publications



**Basic Information** 

Catalog Number:

23865-1-AP

BC067273

Concentration:

600 ug/ml

50urce:

Rabbit

Q53GS9

Isotype:

GenBank Accession Number:

BC067273

GeneID (NCBI):

10713

UNIPROT ID:

Q53GS9

Full Name:

gG ubiquitin specific peptidase 39

Immunogen Catalog Number:Calculated MW:AG20894565 aa, 65 kDaObserved MW:

Observed M 60~65 kDa Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:4000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:600-1:2400 IF/ICC 1:10-1:100

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications: WB, IHC, IF, IP, RIP Species Specificity:

human
Cited Species:
human, mouse

human, mouse

Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (\*) Alternatively, antigen

retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: K-562 cells, HEK-293 cells, HepG2 cells, HeLa

cells, Jurkat cells

IP: K-562 cells,

IHC: human colon cancer tissue,

IF/ICC: HUVEC cells,

**Background Information** 

USP39 plays a role in many cellular processes including cellular antiviral response, epithelial morphogenesis, DNA repair or B-cell development. USP39 regulates apoptosis and G2/M cell cycle checkpoint in response to DNA damage by deubiquitinating and stabilizing CHK2

**Notable Publications** 

Author	Pubmed ID	Journal	Application
Zhifeng Lin	27629785	Mol Cell Biochem	WB
Zhe Chen	28878014	J Biol Chem	WB,IP
Jian Jiang	30323969	Am J Cancer Res	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data




K-562 cells were subjected to SDS PAGE followed by western blot with 23865-1-AP (USP39 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




IP result of anti-USP39 (IP:23865-1-AP, 4ug; Detection:23865-1-AP 1:1000) with K-562 cells lysate 3200ug.




Immunofluorescent analysis of HUVEC cells using 23865-1-AP (USP39 antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.



WB result of USP39 antibody (23865-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP39 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 23865-1-AP (USP39 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 23865-1-AP (USP39 antibody) at dilution of 1:1200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).