# For Research Use Only

# CTGF Polyclonal antibody

Catalog Number:23903-1-AP 13 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 23903-1-AP BC087839 GeneID (NCBI): Size: 500 μg/ml 1490 **UNIPROT ID:** Source:

Rabbit P29279 Full Name: Isotype:

connective tissue growth factor

Calculated MW: Immunogen Catalog Number: AG20985 349 aa, 38 kDa Observed MW:

70 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

WB 1:500-1:2000

# **Applications**

**Tested Applications:** WB, IHC, IP, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse **Cited Species:** 

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: mouse heart tissue, IP: mouse brain tissue,

IHC: mouse heart tissue, human heart tissue, human nephroblastoma tissue, mouse brain tissue

# **Background Information**

CTGF, also known as CCN2, is a member of the CCN family of matricellular proteins. CTGF, a cysteine-rich, matrixassociated, heparin-binding protein, is widely expressed in various human tissues and organs. CTGF has important roles in many biological processes, including cell adhesion, migration, proliferation, angiogenesis, skeletal development, and tissue wound repair, and is critically involved in fibrotic disease and several forms of cancers. In the contract of the cowestern blotting, there are three different forms of CTGF reported: monomeric forms at approximately 36-38 kDa, homodimeric forms at approximately 70 kDa, and lower molecular mass fragment forms (PMID: 14592956).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Kai Yang	27942222	Onco Targets Ther	WB
Xinliang Zou	35900670	J Cardiovasc Transl Res	WB,IHC
Shigehisa Aoki	30406776	Biomater Sci	WB,IHC

# Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




IP result of anti-CTGF (IP:23903-1-AP, 4ug; Detection:23903-1-AP 1:1000) with mouse brain tissue lysate 1800 ug.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 23903-1-AP (CTGF antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 23903-1-AP (CTGF antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 23903-1-AP (CTGF antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.