

For Research Use Only

UTX Polyclonal antibody

Catalog Number: 23984-1-AP

1 Publications



Basic Information

Catalog Number:

23984-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG20018

GenBank Accession Number:

BC093868

GeneID (NCBI):

7403

UNIPROT ID:

O15550

Full Name:

ubiquitously transcribed
tetratricopeptide repeat, X
chromosome

Calculated MW:

1401 aa, 154 kDa

Observed MW:

154 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:1000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

human

Positive Controls:

WB : COLO 320 cells, HepG2 cells

Background Information

KDM6A, also named UTX, mediates the removal of repressive trimethylation of histone H3, it plays a central role in the regulation of posterior development, by regulating HOX gene expression (PubMed:17851529).

Notable Publications

Author	Pubmed ID	Journal	Application
Dexiang Zhang	38840262	Eur J Med Res	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



COLO 320 cells were subjected to SDS PAGE followed by western blot with 23984-1-AP (UTX antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



HepG2 cells were subjected to SDS PAGE followed by western blot with 23984-1-AP (UTX antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 23984-1-AP (UTX antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.