#### For Research Use Only

# PSMC3 Polyclonal antibody

Catalog Number: 24142-1-AP 4 Publications



**Basic Information** 

Catalog Number:

24142-1-AP

BC008713

Size:

900 ug/ml

5702

Source:

Rabbit

GenBank Accession Number:

BC008713

GeneID (NCBI):

9702

UNIPROT ID:

P17980

 Isotype:
 Full Name:

 IgG
 proteasome (prosome, macropain)

Immunogen Catalog Number: 26S subunit, ATPase, 3
AG21408 Calculated MW:

49 kDa

Observed MW:
49 kDa

Purification Method: Antigen Affinity purified Recommended Dilutions:

WB 1:1000-1:8000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

Protein lysate IHC 1:20-1:200 IF/ICC 1:200-1:800

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB

Species Specificity:

human
Cited Species:
human, mouse

ons: Positive Controls:

WB: HEK-293 cells, A431 cells, HeLa cells, HepG2 cells,

Jurkat cells, MCF-7 cells, T-47D cells

IP : HeLa cells,

IHC: human ovary tumor tissue, human tonsillitis

tissue

IF/ICC: HEK-293 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0.

buffer pH 6.0

## **Background Information**

PSMC3(26S protease regulatory subunit 6A) is also named as TBP1, Proteasome 26S subunit ATPase 3 and belongs to the AAA ATPase family. The 26S protease is involved in the ATP-dependent degradation of ubiquitinated proteins. It is a multifunctional protein, component of the regulatory subunit of the proteasome, involved in different cellular processes.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Anna Maria Santoro	31797568	ChemMedChem	WB
Zhong-Qiu Yu	38776958	Hum Mol Genet	WB
Chaojun Yan	37589705	Elife	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 24142-1-AP (PSMC3 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




IP result of anti-PSMC 3 (IP:24142-1-AP, 4ug; Detection:24142-1-AP 1:800) with HeLa cells lysate 3200ug.



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 24142-1-AP (PSMC3 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 24142-1-AP (PSMC3 Antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using PSMC3 antibody (24142-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).