For Research Use Only

RS1 Polyclonal antibody

Catalog Number: 24430-1-AP 2 Publications



Basic Information

Catalog Number: 24430-1-AP

Immunogen Catalog Number:

Concentration: 450 ug/ml

GeneID (NCBI):

BC141638

GenBank Accession Number:

6247

Source: UNIPROT ID:
Rabbit 015537
Isotype: Full Name:
IgG retinoschisin 1

AG18885 26 kDa

Observed MW: 26 kDa

Calculated MW:

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:10000

IHC 1:50-1:500 IF-P 1:50-1:500 IF-Fro 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF-P, IF-Fro, ELISA

Cited Applications:

WB, IF

Species Specificity: human, mouse, rat Cited Species:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: rat retina tissue, mouse eye tissue

IHC: mouse eye tissue,
IF-P: mouse eye tissue,
IF-Fro: mouse eye tissue,

Background Information

RS1 is also named as XLRS1. RS1 can bind negatively charged membrane lipids, such as phosphatidylserine and phosphoinositides. RS1 is required for normal structure and function of the retina (PMID:19093009). It may play a role in cell-cell adhesion processes in the retina (PMID:27114531). RS1 is high expression in the retina (at protein level) (PMID:10915776, PMID:9326935). It is detected in the inner segment of the photoreceptors, the inner nuclear layer, the inner plexiform layer and the ganglion cell layer. At the macula, it is expressed in both the outer and inner nuclear layers and in the inner plexiform layer (PMID:10915776, PMID:10915776). And RS1 is undetectable in the inner plexiform layers and the inner nuclear layer (PMID:10915776)

Notable Publications

Author	Pubmed ID	Journal	Application
Yangyang Zheng	38661546	Hum Gene Ther	WB
Yan Sun	38333050	Biochem Biophys Rep	IF

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



rat retina tissue were subjected to SDS PAGE followed by western blot with 24430-1-AP (RS1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



mouse eye tissue were subjected to SDS PAGE followed by western blot with 24430-1-AP (RS1 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse eye tissue slide using 24430-1-AP (RS1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse eye tissue slide using 24430-1-AP (RS1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse eye tissue using RS1 antibody (24430-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse eye tissue using RS1 antibody (24430-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed frozen OCT-embedded mouse eye tissue using 24430-1-AP (RS1 antibody) at dilution of 1:200 and CoraLite488-Conjugated AffiniPure Goat Anti-Rabbit1gG(H+L).