

For Research Use Only

HPSE Polyclonal antibody

Catalog Number: 24529-1-AP **7 Publications**



Basic Information

Catalog Number: 24529-1-AP	GenBank Accession Number: BC051321	Purification Method: Antigen affinity purification
Size: 750 µg/ml	GeneID (NCBI): 10855	Recommended Dilutions: WB 1:1000-1:8000 IHC 1:20-1:200 IF 1:10-1:100
Source: Rabbit	UNIPROT ID: Q9Y251	
Isotype: IgG	Full Name: heparanase	
Immunogen Catalog Number: AG21479	Calculated MW: 543 aa, 61 kDa Observed MW: 60 kDa	

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA	Positive Controls: WB : HeLa cells, HepG2 cells, Jurkat cells, mouse liver tissue IHC : human liver cancer tissue, human placenta tissue IF : HeLa cells, HepG2 cells
Cited Applications: WB, IHC	
Species Specificity: human, mouse	
Cited Species: human, rat, mouse	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

HPSE(Heparanase) is also named as HEP, HPA, HPA1, HPR1, HPSE1, HSE1 and belongs to the glycosyl hydrolase 79 family. It is a endoglycosidase that cleaves heparan sulfate proteoglycans (HSPGs) into heparan sulfate side chains and core proteoglycans. HPSE is essential in the disassembly of the extracellular matrix (ECM) by invading cells. It has 3 isoforms produced by alternative splicing with the molecular weight of 61 kDa, 55 kDa and 53 kDa. The full length protein has six glycosylation sites. The cleavage of the 65 kDa form leads to the generation of a linker peptide, and 8 kDa and 50 kDa products. The active form, the 8/50 kDa heterodimer, is resistant to degradation and glycosylation of the 50 kDa subunit appears to be essential for its solubility.

Notable Publications

Author	Pubmed ID	Journal	Application
X Wang	25321193	Br J Cancer	
Guang Xu	28081450	Diabetes Res Clin Pract	WB
Yawei Li	28794202	EMBO Rep	WB,IHC

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 24529-1-AP (HPSE antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer slide using 24529-1-AP (HPSE Antibody) at dilution of 1:50.



Immunohistochemical analysis of paraffin-embedded human liver cancer slide using 24529-1-AP (HPSE Antibody) at dilution of 1:50.



Immunofluorescent analysis of HeLa cells using 24529-1-AP (HPSE antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.