For Research Use Only

## POTEA Polyclonal antibody

Catalog Number:24593-1-AP





Basic Information	Catalog Number: 24593-1-AP	GenBank Accession Number BC 153076	Purification Method: Antigen affinity purification	
	Size: 750 ug/ml Source: Rabbit	GeneID (NCBI): 340441 UNIPROT ID: Q6S8J7	Recommended Dilutions: WB 1:200-1:1000 IHC 1:500-1:2000	
				Isotype: IgG Immunogen Catalog Number: AG20228
	Calculated MW: 498 aa, 56 kDa			
	Observed MW: 53 kDa			
	Applications	Tested Applications:	Positive Controls:	
WB, IHC, ELISA Species Specificity:			WB : human testis tissue, mouse skeletal muscle tissue IHC : human ovary cancer tissue, human ovary tissue,	
human, mouse hur Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		an testis tissue		
Background Information	POTEA also named as ANKRD26 like family A member 1 or POTE8 is a 498 amino acid protein, which contains five ANK repeats and belongs to the POTE family. POTEA has an important signaling function in the reproductive system.			
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage			

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data






Immunohistochemical analysis of paraffinembedded human ovarian cancer slide using 24593-1-AP (POTEA antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded human ovarian cancer slide using 24593-1-AP (POTEA antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human testis tissue were subjected to SDS PAGE followed by western blot with 24593-1-AP (POTEA Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human ovary tissue slide using 24593-1-AP (POTEA Antibody) at dilution of 1:50 (under 40x lens).