For Research Use Only

PGP Polyclonal antibody Catalog Number:25081-1-AP 9 Publications




Basic Information	Catalog Number: 25081-1-AP	GenBank A BC 157035	Accession Number:	Purification Method: Antigen affinity purification	
	Size:	GenelD (N		Recommended Dilutions:	
	450 µ g/ml	283871	corj.	WB 1:2000-1:10000	
	Source: Rabbit	UNIPROT I A6NDG6	D:	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Isotype: IgG	Full Name	: .ycolate phosphatase	IHC 1:20-1:200 IF/ICC 1:200-1:800	
	Immunogen Catalog Number: AG18623	Calculated	Calculated MW: 321 aa, 34 kDa		
			Observed MW:		
	Tested Applications:		Positive Co	ntrol s	
Applications	WB, IHC, IF/ICC, FC (Intra), IP, ELISA	SA		WB : HepG2 cells, mouse heart tissue, K-562 cells, SH- SY5Y cells, Y79 cells IP : Y79 cells,	
	Cited Applications: WB, IHC, IF		SY5Y cells,		
	Species Specificity: IHC human, mouse hum Cited Species:		IHC : huma	IF : 179 cetts, IHC : human tonsillitis tissue, human heart tissue, human skeletal muscle tissue	
				: MCF-7 cells,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information		rdiolipin and a	mitochondrial-specific p	superfamily. It is an essential intermedia hospholipid regulating the membrane hosphatidylglycerol from	
	Author F	Pubmed ID	Journal	Application	
Iotable Publications			J Nanobiotechnolog		
lotable Publications	Changduo Wang 3	36369077			
Notable Publications	0 0	36369077 34322485	Front Cell Dev Biol	IHC	
Iotable Publications	Lingyun Zhang 3		-	,	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 25081-1-AP (PGP antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




IP result of anti-PGP (IP:25081-1-AP, 4ug; Detection:25081-1-AP 1:600) with Y79 cells lysate 1920ug.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 25081-1-AP (PGP Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 25081-1-AP (PGP Antibody) at dilution of 1:50 (under 40x lens).



1x10^6 SH-SY5Y cells were intracellularly stained with 0.4 ug Anti-Human PGP (25081-1-AP) and Coralite®488-Conjugated Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using PGP antibody (25081-1-AP) at dilution of 1:400 and Coralite®488-Conjugated Goat Anti-Rabbit IgG(H+L).