

For Research Use Only

TACR2 Polyclonal antibody

Catalog Number: 25270-1-AP **2 Publications**



Basic Information

Catalog Number: 25270-1-AP	GenBank Accession Number: NM_001057	Purification Method: Antigen affinity purification
Size: 550 µg/ml	GeneID (NCBI): 6865	Recommended Dilutions: WB 1:500-1:1000
Source: Rabbit	UNIPROT ID: P21452	
Isotype: IgG	Full Name: tachykinin receptor 2	
	Calculated MW: 44 kDa	
	Observed MW: 44 kDa	

Applications

Tested Applications: FC, WB, ELISA	Positive Controls: WB : HeLa cells, PC-3 cells
Cited Applications: WB, IHC	
Species Specificity: human	
Cited Species: human, rat	

Background Information

The tachykinins represent a family of peptide neurotransmitters including substance P, neurokinin A and neurokinin B, which act through the stimulation of tachykinin NK1, NK2 or NK3 receptors. NK2, also known as TACR2 (tachykinin receptor 2), is a receptor for the tachykinin neurokinin A (neuropeptide substance K). It is associated with G proteins that activate a phosphatidylinositol-calcium second messenger system.

Notable Publications

Author	Pubmed ID	Journal	Application
Suiyi Wu	29512791	Mol Med Rep	IHC
Wang Jianfeng	34364377	Cancer Cell Int	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 25270-1-AP (TACR2 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



1×10^6 PC-3 cells were stained with 0.2ug TACR2 antibody (25270-1-AP, red) and control antibody (blue). Fixed with 4% PFA blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1500.