

For Research Use Only

NOX5 Polyclonal antibody

Catalog Number: 25350-1-AP **13 Publications**



Basic Information

Catalog Number: 25350-1-AP	GenBank Accession Number: BC125098	Purification Method: Antigen affinity purification
Size: 400 µg/ml	GeneID (NCBI): 79400	Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q96PH1	
Isotype: IgG	Full Name: NADPH oxidase, EF-hand calcium binding domain 5	
Immunogen Catalog Number: AG18673	Calculated MW: 765 aa, 86 kDa	
	Observed MW: 82-86 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls: WB: Jurkat cells, Raji cells IHC: human spleen tissue,
Cited Applications: CoIP, PLA, WB	
Species Specificity: human	
Cited Species: human, monkey, pig	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

NOX5 (NADPH oxidase, EF-hand calcium binding domain 5) is an NADPH oxidase that generates superoxide and functions as an H⁺ channel in a Ca²⁺-dependent manner. It plays an important role in PDGF-induced JAK/STAT activation and human aortic smooth muscle cell (HASMC) proliferation. NOX5 is the main source of superoxide and is implicated in human spermatozoa motility. This protein has 6 isoforms produced by alternative splicing, named NOX5- α , - β , - γ , - δ , - ϵ and - ζ with the molecular mass of 84, 82, 86, 85, 64 and 83 kDa (PMID: 22427510 and Uniprot).

Notable Publications

Author	Pubmed ID	Journal	Application
Jian Wu	31727371	Biochem Biophys Res Commun	WB
Elizabeth A Sweeny	34139309	Free Radic Biol Med	WB
Qi Liu	32738790	Biomed Pharmacother	WB, CoIP, PLA

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 25350-1-AP (NOX5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human spleen tissue slide using 25350-1-AP (NOX5 Antibody) at dilution of 1:200 (under 10x lens).