

For Research Use Only

# TMEM199 Polyclonal antibody

Catalog Number: 25489-1-AP



## Basic Information

<b>Catalog Number:</b> 25489-1-AP	<b>GenBank Accession Number:</b> BC033113	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 1000 µg/ml	<b>GeneID (NCBI):</b> 147007	<b>Recommended Dilutions:</b> WB 1:500-1:1000 IHC 1:20-1:200
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q8N511	
<b>Isotype:</b> IgG	<b>Full Name:</b> transmembrane protein 199	
<b>Immunogen Catalog Number:</b> AG22009	<b>Calculated MW:</b> 208 aa, 23 kDa	
	<b>Observed MW:</b> 18-23 kDa	

## Applications

**Tested Applications:**  
IHC, WB, ELISA

**Species Specificity:**  
human, mouse

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

**Positive Controls:**

WB : NIH/3T3 cells,

IHC : human breast cancer tissue, human stomach cancer tissue

## Background Information

TMEM199, also named as C17orf32, is a component of the complex sense antisense architecture (CSAGA).

## Storage

**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 25489-1-AP (TMEM199 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 25489-1-AP (TMEM199 Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 25489-1-AP (TMEM199 Antibody) at dilution of 1:50 (under 40x lens).