For Research Use Only

## ADAM10 Polyclonal antibody Catalog Number:25900-1-AP Featured Product 27 Pu

Featured Product 27 Publications




Basic Information	Catalog Number: 25900-1-AP	GenBank Accession Number: BC 126253		Purification Method: Antigen affinity purification	
	Size:	GeneID (NCBI):		Recommended Dilutions:	
	400 ug/ml	iource: UNIPROT ID:		WB 1:500-1:2000 IHC 1:50-1:500	
	Source: Rabbit				
	Isotype: IgG	Full Name: ADAM metallopeptidase domain 10			
	Immunogen Catalog Number: AG23078				
		Observed MW: 60-70 kDa, 90 kDa			
Applications	Tested Applications:	Positive Controls:			
	WB, IHC, ELISA	WB: NIH/3		3 cells, mouse brain tissue, rat brain tissue	
	Cited Applications: WB, IHC, IF	IHC : human lung cancer tissue, human pancreas cancer tissue			
	Species Specificity: human, mouse	Species Specificity:			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Informatio	n ADAM10, a member of the ADAM spinal cord, and the visual system 60-70 kDa (PMID: 24404179).			ily, is widely expressed in the brain, the ADAM10 is 90 kDa and mature ADAM10 is	
Notable Publications	Author	Pubmed ID 3	lournal	Application	
Notable Publications	Lina Sun	33043016 I	Front Cell Dev Biol	WB	
Notable Publications					
Notable Publications	Bo Wu	28703811	Cell Death Dis	WB,IF	
Notable Publications			Cell Death Dis Neurosci Bull	WB,IF WB	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 25900-1-AP (ADAM10 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 25900-1-AP (ADAM10 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 25900-1-AP (ADAM10 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.