## For Research Use Only

## C1orf58 Polyclonal antibody

Catalog Number:26109-1-AP



**Purification Method:** 

WB 1:200-1:1000

protein lysate

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

**Basic Information** 

Catalog Number:

26109-1-AP

BC113635

Concentration:

240 ug/ml

148362

Source:

Rabbit

Q5VW32

Isotype:

GenBank Accession Number:

BC113635

GeneID (NCBI):

148362

UNIPROT ID:

Q5VW32

Full Name:

Full Name: IF/ICC 1:200-1:800 chromosome 1 open reading frame 58

gd Chromosome Topenne

Immunogen Catalog Number: Observed MW: AG23443 46 kDa

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, mouse brain tissue

IP: HepG2 cells,

IHC: human breast cancer tissue,

IF/ICC: A431 cells,

## **Background Information**

Storage


Storage

Store at -20°C. Stable for one year after shipment. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26109-1-AP (C 10rf58 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




HEK293 cell lysates were subjected to SDS PAGE followed by western blot with 26109-1-AP (C1orf58 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.




IP result of anti-C 1orf58 (IP:26109-1-AP, 4ug; Detection:26109-1-AP 1:300) with HepG2 cells lysate 1680 ug.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26109-1-AP (C 10rf58 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using C1orf58 antibody (26109-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



mouse brain tissue were subjected to SDS PAGE followed by western blot with 26109-1-AP (C 10rf58 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.