

For Research Use Only

MCU/CCDC109A Polyclonal antibody



Catalog Number: 26312-1-AP

Featured Product

19 Publications

Basic Information

Catalog Number:

26312-1-AP

Size:

550 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG24733

GenBank Accession Number:

BC034235

GeneID (NCBI):

90550

UNIPROT ID:

Q8NE86

Full Name:

coiled-coil domain containing 109A

Calculated MW:

35 kDa

Observed MW:

30-35 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:12000

IHC 1:50-1:500

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

IF, IHC, WB

Species Specificity:

human, mouse

Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, mouse brain tissue, rat brain tissue, HepG2 cells

IHC: mouse kidney tissue,

Background Information

MCU, also known as CCDC109A, is highly conserved across all eukaryotes. The MCU protein is composed of two coiled-coil domains, two TMDs, and a short motif of amino acids between the two TMDs. Knockdown of MCU dramatically reduces mitochondrial Ca²⁺ uptake in isolated mitochondria, in permeabilized cells and living cells. MCU has 3 isoforms with MW 40,37 and 35 kDa (refer to UniProt). The observed MW of MCU is mainly between 30 to 35 kDa in paper (PMID: 26341627; 28337252).

Notable Publications

Author	Pubmed ID	Journal	Application
Yun-Fei Yang	34845191	Cell Death Dis	WB
Qin Zhou	33957982	Stem Cell Res Ther	WB
Giovanni Quarato	35726022	Cell Death Differ	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 26312-1-AP (MCU/CCDC109A antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



WB result of MCU/CCDC109A antibody (26312-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MCU/CCDC109A transfected HeLa cells.



Immunohistochemical analysis of paraffin-embedded mouse kidney tissue slide using 26312-1-AP (MCU/CCDC109A antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).