For Research Use Only

# ENAH Polyclonal antibody

Catalog Number:26421-1-AP



## **Basic Information**

Catalog Number: 26421-1-AP Size: 1000 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG24200 GenBank Accession Number: BC095481 GeneID (NCBI): 55740 UNIPROT ID: Q8N8S7 Full Name: enabled homolog (Drosophila) Calculated MW: 591 aa, 67 kDa Observed MW: 85-88 kDa, 75-80 kDa

#### Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:20-1:200 IF 1:50-1:500

## Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Species Specificity:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB : A431 cells, U-251 cells, MCF-7 cells, HUVEC cells, NIH/3T3 cells IHC : human breast cancer tissue,

IF : MCF-7 cells,

### **Background Information**


## Storage


Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data









Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26421-1-AP (ENAH Antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26421-1-AP (ENAH Antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of (-20 $^{\rm \odot}$  Ethanol) fixed MCF-7 cells using 26421-1-AP (ENAH antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 26421-1-AP (ENAH antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.