For Research Use Only

ZIP13 Polyclonal antibody

Catalog Number:26496-1-AP




Basic Information	Catalog Number: 26496-1-AP	GenBank Accession Number: BC008853	Purification Method: Antigen affinity purification	
	Size: 1000 µg/ml	GenelD (NCBI): 91252	Recommended Dilutions: WB 1:1000-1:4000	
	Source: Rabbit	UNIPROT ID: Q96H72		
	Isotype: IgG Immunogen Catalog Number: AG24388	Full Name: solute carrier family 39 (zinc transporter), member 13 Calculated MW: 371 aa, 39 kDa		
				Observed MW: 32 kDa
		Applications	Tested Applications: WB, ELISA	
Species Specificity: human, mouse, rat	WB : HeLa cells, mouse skeletal muscle tissue, rat skeletal muscle tissue			
Background Information	important roles in the developme detected by SDS/PAGE was lower hydrophobic nature of the protein	ZIP13, a member of the SLC39A/ZIP family, is mainly localized in the Golgi apparatus. It has been shown to play important roles in the development of bone, tooth and connective tissues. The apparent molecular weight of ZIP13 detected by SDS/PAGE was lower than its expected molecular mass (32 kDa), likely because of the largely hydrophobic nature of the protein, its high capacity to bind SDS, and, therefore, its more rapid migration during gel electrophoresis (PMID: 23213233).		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	1 50% glycerol pH 7.3.		


 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 26496-1-AP (ZIP13 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. Various lysates were subjected to SDS PAGE followed by western blot with 26496-1-AP (ZIP13 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.