For Research Use Only

SLC39A14/ZIP-14 Polyclonal antibody

Catalog Number: 26540-1-AP 4 Publications



Basic Information

Catalog Number: GenBank Accession Number: 26540-1-AP BC015770 GeneID (NCBI): Size: $600 \mu g/ml$ 23516 **UNIPROT ID:** Source: Rabbit Q15043 Full Name: Isotype:

solute carrier family 39 (zinc transporter), member 14 Immunogen Catalog Number:

AG24210 Calculated MW:

> 54 kDa Observed MW: 54 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC

Species Specificity: human, mouse, rat **Cited Species:**

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse heart tissue, mouse spleen tissue, rat heart

Purification Method:

WB 1:1000-1:4000 IHC 1:50-1:500

IF/ICC 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

IHC: mouse liver tissue, IF/ICC: U2OS cells,

Background Information

Metal cation symporter ZIP14 (SLC39A14) is an electroneutral transporter of the plasma membrane that mediates the cellular uptake of divalent metal cations zinc, manganese, and iron and is important for tissue homeostasis, metabolism, development and immunity (PubMed:15642354, PubMed:27231142, PubMed:29621230). The molecular weight is around 53-54 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Fei Liu	36003082	Front Mol Biosci	IHC
Kaiyuan Li	39293745	Cell Signal	WB,IHC
Siman Chen	39119937	Adv Sci (Weinh)	WB

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 26540-1-AP (SLC39A14/ZIP-14 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 26540-1-AP (SLC39A14/ZIP-14 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed U2OS cells using SLC39A14/ZIP-14 antibody (26540-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).