For Research Use Only

S100A7/Psoriasin Polyclonal antibody

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Purification Method:

WB 1:500-1:1000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Catalog Number: 26656-1-AP

Basic Information

Catalog Number:

26656-1-AP

Size:

550 µg/ml

Source:

Rabbit

BC034687

GeneID (NCBI):

6278

UNIPROT ID:

Rabtit

P31151

Isotype:

GeneID (NCBI):

Full Name:

IgG S100 calcium binding protein A7

Immunogen Catalog Number:Calculated MW:AG24717101 aa, 11 kDaObserved MW:

11 kDa

Applications

Tested Applications: IHC, WB, ELISA Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

human

Positive Controls:

WB: MCF-7 cells, MDA-MB-468 cells

IHC: human oesophagus cancer tissue,

Background Information

S100A7 (psoriasin), a member of the S100 protein family, is a well-known antimicrobial peptide and a signaling molecule which regulates cellular function and is expressed in many squamous cell carcinomas (SCCs), such as SCC of the skin. It is an EF-hand type calcium binding protein localized in epithelial cells, regulates cell proliferation and differentiation. The protein is overexpressed in hyperproliferative skin diseases, exhibits antimicrobial activities against bacteria and induces immunomodulatory activities.

Storage

Storage:


Store at -20 °C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



MCF-7 cells were subjected to SDS PAGE followed by western blot with 26656-1-AP (\$100A7/Psoriasin antibody at dilution of 1:600 incubated at room temperature for 1.5 hours.



MDA-MB-468 cells were subjected to SDS PAGE followed by western blot with 26656-1-AP (\$100A7/Psoriasin antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 26656-1-AP (S100A7/Psoriasin antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 26656-1-AP (S100A7/Psoriasin antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).